


CROWN WHEEL BOLT PCD
No. OF BOLTS
THREAD / THRO' HOLE
CROWN WHEEL SPIGOT DIA
BEARING DIA
BEARING DISTANCE
SPIGOT LENGTH

OVERALL LENGTH
BEARING/CROWN WHEEL
BORE

		INCH	MM
D1		6.024	153
		10	10
		0.495	12.5
D2		4.843	123.0
D3		1.7731	45.0
L1		5.046	128.2
L2		0.827	21.0
L2/A		1.024	26.0
L3		6.897	175.2
L4		1.294	32.9
D4		1.281	32.5

DRIVE SHAFT SPLINE:-
No. OF TEETH
PITCH
TYPE
PRESSURE ANGLE

30
1 MOD.
FLAT ROOT SIDE FIT
45 DEG



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDF8F

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY
CONFIDENTIAL & THE COPYRIGHT THEREIN
IS THE EXCLUSIVE PROPERTY OF
R.T. SQUARE ENGINEERING LTD.
AND MAY NOT BE USED COPIED OR EXHIBITED
WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH,	GRIND@G
LIMITS. FRACT. $\pm 1/64"$.	
DEC. $\pm 0.005"$.	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 19.10.05	
DRAWN BY. J.P.D.	

Used In. MAZDA 6 V6