


		INCH	MM
CROWN WHEEL BOLT PCD	D1	5.709	145
No. OF BOLTS		10	10
THREAD / THRO' HOLE		M10x1.25	M10x1.25
CROWN WHEEL SPIGOT DIA	D2	4.8421	123.0
BEARING DIA	D3	1.6549	42.0
BEARING DISTANCE	L1	4.284	108.8
SPIGOT LENGTH	L2	0.755	19.2
	L2/A	0.745	18.9
OVERALL LENGTH	L3	5.784	146.9
BEARING/CROWN WHEEL	L4	0.667	16.9
BORE	D4	1.2605	32.0
DRIVE SHAFT SPLINE:-			
No. OF TEETH		29	
PITCH			
TYPE		FILLET ROOT	
PRESSURE ANGLE		45 DEG	



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDF8L

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF RT SQUARE ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. ± 1/64"	
DEC. ± 0.005"	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 19.5.05	
DRAWN BY. M.L.M.	
Used In. NISSAN MAXIMA	